

## TARC FAQ's

### 2014 Competition

#### **Can you describe the current contest (2014) in a nutshell?**

- Submit an application for a team of three to 10 students (grades 7-12) before December 1, 2013.
- Build and fly for a qualification score before March 31, 2014, a model rocket that carries two raw eggs to an altitude of 825 feet, stays airborne for between 48 and 50 seconds using two identical-diameter parachutes as the sole recovery system, having a gross liftoff weight of no more than 650 grams, and a rocket motor no bigger than 80 N-sec of total impulse (power class "F").
- If your score from the sum of two flights is one of the 100 best, you will be invited to compete for a share of the \$60,000 prize package in a national fly-off on May 10, 2014.

#### **When is the deadline to enter the 2014 competition?**

The deadline to complete and submit an application is December 1, 2013.

#### **What is the date of the National Finals this year and where will it take place?**

The official date is Saturday, May 10, 2014 at Great Meadow in The Plains, VA, about 50 miles west of Washington, DC. The rain date will be Sunday, May 11, 2014.

#### **I am having trouble opening or downloading the application. What should I do?**

You must have Adobe Acrobat Reader 7.0 or higher to view and download these and other PDF files you will need for this competition. If you do not have 7.0 or higher, go to <http://www.adobe.com/products/acrobat/readstep2.html> and download a free copy.

#### **What do I get for my \$105 entry fee?**

Your team gets: the TARC Handbook, , a discount on your [Perfectflite altimeter](#),

a discount on rocket design and flight simulation software either [RockSim](#) or [SpaceCAD](#), and rocket component discounts from TARC [vendors](#).

## **Teams**

### **Who can participate in the 2014 event?**

- Teams of 3-10 students currently enrolled in grades 7 through 12.
- The application for a team must come from a single school or a single U.S. incorporated non-profit youth organization (excluding the National Association of Rocketry, Tripoli Rocketry Association, or any other rocket club or organization).
- No more than five teams may be entered by any sponsoring organization. Teams may have members from other schools or other organizations.
- Teams must be supervised by an adult approved by the principal of the school, or by an officially-appointed adult leader of the youth organization.

### **Our middle school includes 6th graders. Can they be team members?**

No. The minimum grade level to compete in the contest is 7th grade.

### **Can a team be registered before all the members have been selected?**

Yes, but when you register you must have at least three members on your team. Your application will be returned if it does not. You can add or remove team members later, up until the first qualification flight attempt, as long as you maintain a team size between three and ten total.

### **Can team members be changed at a later date?**

Yes, but not after the team's first qualification attempt. You must complete and email an add/drop form and a parent consent form to AIA to add a new team member. You can drop a team member at any point with an add/drop form.

### **Can a group other than a middle or high school (CAP, 4-H, Scouts, etc.) enter the contest? How do homeschoolers enter this contest?**

Yes, members of the same chapter or unit of a U.S. incorporated non-profit youth organization can form teams and enter the contest, as long as they are all students

in 7th through 12th grades. Homeschoolers can enter as part of a school team with permission of that school's principal, or they can enter by being part of a local chapter of a non-profit organization (Scouts, etc. but not an NAR or TRA club) outside of the school context. If there is a local organization specifically for homeschoolers and at least one of the students is a member of this, this counts as a "non-profit organization" as well.

## **National Association of Rocketry**

### **I don't know a lot about rocketry. Where can I get help?**

The co-sponsor for this event is the National Association of Rocketry (NAR). The NAR has a nationwide network of local clubs with experienced rocketeers standing by to provide advice and make their launch sites available for your flights. Many adult NAR will be "mentors" and available to assist individual teams in their local area. If there is not a mentor in your local area, you may work with one in another state via phone or email. Please visit the Team America section of the NAR website at [www.nar.org](http://www.nar.org) for the latest list of mentors.

### **We have tried the posted list of NAR TARC mentors, but there are none near enough to us to meet with us in-person to help. What can we do now?**

Some TARC teams end up with no in-person mentor, either by choice or by necessity, and still manage to launch successful qualification flights. It's just a little more difficult, not impossible.

The TARC Handbook and the week-by-week guide to what teams are supposed to be stepping through provide a lot of the guidance that a mentor would do in person, if they are read, understood, and followed. The "Handbook of Model Rocketry", offered for sale to teams at a discount rate from NAR Technical Services is the best start-from-scratch text ever written on how to do model rocketry.

The rocketry companies listed in the Handbook that specifically cater to TARC teams can help you on the phone in picking supplies and components if you still cannot interpret their catalogs after reading these resources. And the NAR\_TARC Yahoo group that we tell all teams to join is a good place to post questions online to get "virtual" mentoring or to ask for one of the mentors who is on this forum to contact you by private e-mail for some direct virtual mentoring.

The only place and time where you absolutely need a real live in-person NAR adult

member is as the official observer for the local qualification flight(s) that come at the end of the team's building and practicing, but no later than the annual qualification flight deadline. You can do this by having an NAR volunteer come to you, by traveling to an organized NAR club launch, or if both of these are too hard then as a last resort by having some impartial local adult, not related to any team member or employed by the team's sponsoring organization, join the NAR (online at [www.nar.org](http://www.nar.org) is easiest) simply for the purpose of being the flight observer.

### **Where can I find an observer for my qualification flight who is a Senior NAR member?**

Your first place to look is the list of NAR local rocket launches on the [NAR website](#). If the NAR launch list is not useful, try calling the nearest section. If this does not work and there is a NAR "mentor" nearby, ask him for help. It is OK to have an impartial adult who is not related to any member of the team and is not affiliated with the team's school become a NAR member to be an observer. However, it is always better to use an experienced rocketeer to do the observer duties, because they can offer advice and tips at the same time.

### **How does the National Association of Rocketry (NAR) Membership Discount Program for Team America participants work?**

NAR membership is not required to participate in the Team America event. However, participants may find it beneficial to join the NAR for the \$2 million insurance coverage for launches. The NAR has developed a special program for the Team America Rocketry Challenge. Under this program, if the supervising teacher joins at the regular adult (Senior) rate of \$62 per year, the student members of the teacher's team can join for \$12 off the regular rate of \$25 for Junior (age 15 and under) or Leader (age 16-20) membership. Student members who take advantage of the discounted rate will not receive the Sport Rocketry magazine.

### **Are there any options for our required qualification flight if the nearest NAR section's launch site is a long drive away?**

An official NAR launch is preferred, but you can also use any Senior (adult) NAR member in your local area or have an impartial adult (not related to any team member or affiliated with the school) join the NAR to do this, to avoid pre-fly-off long-distance travel.

### **There is not a NAR section close to us. How do we set up a launch site?**

If there is not a NAR section nearby, then you simply need to locate an open field of suitable size (approximately 1500 X 2000 feet), get permission from the landowner, and comply with any local laws regarding model rocketry. Model rocketry falls under the National Fire Protection Association's Code 1122, which local fire officials should be familiar with. There is a safety handout in the last appendix of the Team America Handbook that you should read and can share with concerned landowners and public safety officials. If the landowner requires liability insurance, your team can obtain it by joining the NAR. If your rocket is over one pound liftoff weight, you must notify the local FAA which is explained in the Team America Handbook.

### **Rocket building and flying**

#### **How did the winning teams prepare for previous competitions?**

They got started early—time management is key! The 2013 winners made their first flight in August of 2012. They flew lots of practice flights--in all weather conditions. They gathered a lot of data about how the weather, wind, and other factors affected each flight. They solicited help from local or online NAR mentors. They assigned specific responsibilities to each team member. They had great supervisors and most importantly, they had fun and never gave up.

#### **Can we use the parts from a rocket kit in our TARC entry? What parts are we allowed to use for our design? Is our rocket allowed to contain metal parts?**

The rules state that all Team America rockets must be built and flown in accordance with the Model Rocket Safety Code of the National Association of Rocketry (NAR). Under this Code, you may only use lightweight, non-metal parts for the nose, body, and fins of your rocket, those parts which are the main structure of the vehicle. Major internal body parts which are rigidly attached to the body (such as rods that run a good fraction of the length of the body) are considered to be part of the "body" and may not be metal. Carbon, fiberglass, and plastics are all acceptable non-metallic building materials for any part of the rocket. You are allowed to use metal engine hooks, electronic circuit boards, and (if you wish) commercial reloadable rocket engine casings.

You can fly a kit for practice and learning flights, but you must advance to an

original design for your actual qualification and finals flights. For this official rocket you can use parts from several kits or any part you want from one kit, as long as you don't use one complete kit with minimal modifications. We want to see originality and design effort go into the rocket that you compete with; it is a major learning objective for TARC.

You may not build the rocket motor. Your rocket must be powered only by commercially-made model rocket motors (F power level and below) that are listed on the TARC Approved Engine List. You may not use a combination of rocket motors that contain more than a combined total of 80 Newton-seconds of total impulse.

**What size egg do we have to use in the contest? Who provides the egg?**

The rules for TARC specify that the egg must weigh between 57 and 63 grams and be no more than 45 millimeters in diameter. This is usually a Grade A large, although not all Grade A eggs fall within that weight range. We will weigh and provide the eggs at the final fly-off. It is the team's responsibility to provide their own egg in the proper weight/size range for practice and qualification flights.

**Can I keep all the parts of my rocket attached together for recovery, or must the egg capsule separate from the rest of the rocket?**

All the pieces of the rocket must remain attached together in some manner for recovery, and the only deployable recovery device that this whole assembly may use is two identical-diameter parachutes. Timing will stop when the first piece of this connected assembly touches the ground.

**What recovery devices am I allowed to use for my rocket?**

The entire TARC rocket must be recovered solely by means of two parachutes whose canopy outer edges are identical (plus or minus one inch) in diameter. No parts that go up on the rocket may separate during recovery.

**What is special about the way that the egg must be placed in the rocket for flight this year?**

There are no requirements on how the two eggs may be oriented inside the rocket. The rocket must carry two eggs, but they can be end-to-end, side-by-side, or any other configuration you choose.

**What are the specific detailed instructions and rules for the timers who time my local qualification flight attempts?**

The first instruction for the timers is to read the TARC rule on "Duration Scoring", which says, in part: "Scores shall be based on total flight duration of the portion of the rocket containing the egg, measured from first motion at liftoff from the launch pad until the moment of landing or until the rocket can no longer be seen due to distance or to an obstacle. Times must be measured independently by two people not on the team, one of whom is the official NAR-member adult observer, using separate electronic stopwatches accurate to 0.01 seconds. The official duration will be the average of the two times, rounded to the nearest 0.01 second. If one stopwatch malfunctions, the remaining single time will be used."

This rule leaves a few details and situations unstated:

- If the rocket separates into multiple pieces for recovery it is disqualified and does not need to be timed
- If the rocket flies out of sight on boost, the timers should keep their stopwatches running until they gain sight of the rocket on recovery, and then proceed as described above.
- If only one timer sees it at first, he/she should coach the other onto the rocket and the other timer should keep his/her stopwatch running until he/she also gains sight. If he/she never gains sight independently, score his/her time as "lost" and use the time of the single timer, like the stopwatch malfunction situation described in the Rules.
- If neither timer ever sees the rocket, it has scored a "time lost" and does not count as an official flight (this will not be true at the fly-offs).
- Use of binoculars is OK (these will not be used at the fly-offs), but in the experience of the NAR these tend to hinder timers more than they help them for flights where the intended duration is only around 48 seconds.

### **I have heard that model rockets require various forms of government permits and permissions to fly. What is required?**

Model rockets weighing less than 3.3 pounds at liftoff and having in them only model rocket motors from the TARC approved motor list that have no more than 4.4 ounces (125 grams) total of rocket propellant among them all require no Federal permits or permissions to purchase, possess, store, or fly. You must fly model rockets in a manner that does not endanger aircraft in flight (see the NAR Safety Code in your TARC Handbook), but no FAA airspace notification or waiver is

required to fly them. Although model rocketry is legal in all 50 states, some local towns or counties have ordinances restricting or prohibiting model rocket flying.

### **Are these rockets dangerous?**

Sport rocketry is one of the safest activities in the United States. Rockets flown in accordance with the common-sense Safety Code of the NAR are extremely safe -- none has ever caused a life-threatening injury in 50 years of flying and over five hundred million flights. The rockets are powered by prepackaged, commercially-made, and rigorously NAR safety-tested solid fuel motors that are available at local hobby stores. The handbooks provided to each team provide all the guidelines and training any team needs to fly their rockets in complete safety. In addition, the NAR provides those individuals who choose to join the NAR with a \$2 million liability insurance policy, and teams with a teacher and 3 or more student members who join the NAR may also get (for \$15), this same insurance coverage for the owner of their launch site.

### **What are the qualification flights all about? How many qualification flights is each team allowed? What is the deadline to conduct the qualification flight?**

Hundreds of teams are entering the Team America Challenge from across the country, but our final grand championship fly-off in Northern Virginia can only accommodate 100 teams. In order to qualify to attend this fly-off each team must conduct a minimum of two and no more than three qualification flight attempts in the actual presence of a current "Senior" (age 21 or above) member of the NAR, no later than March 31, 2014. To encourage students to fly early there a special bonus score reduction of one point if you conduct at least one of these qualifying launches before March 2, 2014 even if this early launch results in a disqualification for that flight and even if this does not turn out to be one of the two lowest scores that the team ultimately submits. This deduction will be taken by AIA when scores are compiled at TARC headquarters, and should not be taken by the team on their flight report.

A qualification flight attempt must be declared before the rocket's motor(s) are ignited. Once an attempt is declared, the results of that flight must be recorded for submission.

If the rocket then misfires and does not leave the launch pad, the attempt does not



count as one of the official tries. If the rocket does leave the launch pad, even if not all motors ignite, and even if the flight experiences some other flight vehicle failure, the flight attempt is official. If a rocket experiences a catastrophic failure of one or more rocket motors (burst casing or ejected engine grain) in flight, the attempt may, at the team's discretion, not be counted as official.

The supervising teacher/adult or the NAR observer in the case of unsuccessful official qualification flight attempts must submit the score report on qualification flights to the AIA offices by March 31, 2014. The top 100 teams will be announced no later than April 4, 2014. Practice flights, before and after your qualification flights, and in a variety of wind and weather conditions, are highly encouraged.

**To record altitude data, can we use another brand of altimeter that has the same performance specifications as the Perfectflite APRA or Pnut?**

The only TARC-approved altimeters are the Perfectflite APRA or Pnut used in previous year's competitions; your official score must come from the same altimeter design as everyone else is using.

**I have been unable to get some of the rocket motors listed on the TARC list as approved for this event, where can I get them or what can I do?**

You have two options. Design your rocket to fly with the motors that are available to you, including using clusters of two or three of these motors in a stage. Or find a mail-order dealer (such as Hangar11 Hobbies, the official retail vendor at the TARC finals, or Balsa Machining Service) who has the motors you want and can ship them to you.

**The motor that I am interested in using for my TARC rocket has a slightly different manufacturer-labeled designation or total impulse than the motors on the TARC Approved Motor List. Can I still use it in my TARC rocket?**

For purposes of determining if a motor is approved for TARC, only three things count: the manufacturer name, the labeled total impulse class, and the labeled average thrust designation.

The codes that count for our official purposes are the first letter ("E", "F", etc.) which indicates the motor's total impulse class; and the one or two digits before the dash ("23", "24", etc.) which indicate the motor's average thrust in Newtons.

Some manufacturers, particularly Aerotech, have other additional labeled designations such as "W", "FJ", "Econojet", etc . The Aerotech letter coding is a proprietary indication of propellant chemical formulation and the extra words are just brand names.

The final digit or digits after the dash in a motor's official designation indicate the motor's delay time between motor propellant burnout and ejection charge activation, in seconds. There are a few cases where the value we list for delay time on the TARC list is not the same as the delay time value that the manufacturer advertises in his catalog. This is because the motor delivered a different delay time (generally by one or two seconds) in the NAR's official certification testing, after the manufacturer printed his catalog. We allow such motors for use in TARC despite this minor delay-time marking discrepancy.

Concerning total impulse, some Aerotech motors were slightly redesigned for ease of manufacture in the last several years and their total impulse post-redesign is slightly different from the original design. Both old and new-design motors are in circulation. The TARC motor list reflects the original-design total impulse of these motors; we do not yet have official NAR data for updating the total impulse. It is important to teams to know the correct total impulse of the motor they intend to use, but either version is approved for use in TARC as long as the three key factors on the motor label match what is on the TARC motor list.

### **How much should my team expect to spend to build and test-fly the rockets for the TARC competition?**

Based on experience from previous years, teams that are fully successful and complete a good qualification will have flown about 10 practice flights and have built several rockets. The total cost of rocket motors and rocket parts to do this is typically about \$500 if these are purchased from our recommended [vendors](#). It is possible to spend half this much if the team is experienced and efficient, or twice this much if the team does more practice flights or needs larger motors.

### **Can we install the flight simulation software on more than one computer?**

Please contact the software companies individually as their policies vary.

### **How much help can the supervising teacher/adult, mentors, or other individuals who are not on our team provide on our rocket?**

None. The rocket that you enter into the Team America event must be entirely designed, built, and flown by the student members of the team. You may get help from outside sources in learning how to build and fly rockets in general, use altimeters, do multi-staging of rockets, design launch systems, etc. You can buy or borrow launching systems. You can practice-fly with a local NAR section and learn how to become an expert rocket flier. But when it is time to do your real design and either your qualification flight or your real flight at the fly-off, this must be done by team members alone. Supervising teachers/adults are not considered members of the team for this purpose.

**The rocket motor that I want to use in my TARC flight is listed in my simulation software but not on the TARC approved rocket engine list. Can it be added to the list or can I use it anyway?**

You need to go to the list of TARC-approved rocket motors and select in your software only one of those motors that is on the TARC-approved list.

**Can the student members of my team (under age 18) fly "reloadable" model rocket motors in TARC?**

Yes. The Consumer Product Safety Commission requires that metal-casing reloadable model rocket motors be sold only to persons age 18 or older, but there are no regulations prohibiting a younger person from assembling and flying a reloadable model rocket motor that was purchased by someone else such as the team's adult advisor. There are additional restrictions on the use of reloadable motors in California based on state law there, and some teams may be unable to meet the conditions imposed by California for using them.

**I want to use an electronically-actuated ejection charge system in the upper stage of my rocket, using loose black powder or Pyrodex powder in a small igniter-fired container to blow out the parachute. Is this permitted?**

No. Separate pyrotechnic charges are specifically prohibited by the TARC rules. TARC rockets must be prepped and flown in the competition and in their preceding qualification flights by the student team members without adult assistance, so an adult with a Low Explosives Users Permit is not a solution to the black powder ejection charge issue. There is no legal solution, and the rules prohibit it.

**Can the rocket be launched from a rail?**

The contest organizers will provide 6-foot 1/4-inch rods and 1-inch rails (your choice) and a standard one-clip-pair per pad multi-pad launch system for all teams to use at the finals. However, teams are welcome to bring their own launch systems, pads, etc., to launch their rocket during qualifications and at the finals.

**Can radios such as tracking beacons or radio-control systems be used, and if so are there any frequency limits?**

Radio-control systems are not permitted in TARC rockets, only "autonomous" onboard control systems such as timers may be used to control the flight duration of the rockets. Transmit-only tracking beacons for post-flight location of the rocket are permitted.

**We would like to build a composite or plastic rocket for the Team America Rocketry Challenge. Would we be violating the rules if we had a trained technician mold it for us at a composite or Plastics Company using our design specifications?**

Yes, you would be violating the Team America Rocketry Challenge rules. The flight vehicle must be made by the student team members. Having a custom flight vehicle part fabricated by a composite or plastics company or by a company that does custom fin cutting (even if it is to your design) does not constitute sale of a "standard off the-shelf product" and is not allowed. Having a mandrel fabricated to your specifications that you wrap fiberglass on to make your rocket body would be OK. In this case the company is making a tool that you are using to make the part that flies. Having parts made on a 3-dimensional printer would be OK as long as the students write the program and run the printer.

**What recovery devices am I allowed to use for my rocket?**

The part of the TARC rocket that contains the eggs and altimeter must be recovered solely by means of a parachute recovery system that uses two separate parachutes of identical diameter that both come out of the rocket body and are intended to deploy. If any part separates from the rocket for recovery, then the flight is disqualified. .

### **How can my school afford to send an entire team to the finals?**

One hundred of the best teams from across the country will be invited to compete in the finals on May 10, 2014, at Great Meadow, The Plains, VA. We recommend reaching out to your local community to find sponsors. If one of the 25+ TARC sponsors or one of the 300+ AIA member companies has a facility near you reach out to their community relations team early on and get them involved in your rocket building process. Many companies are a great resource for site visits, expert advice, and financial resources. Also consider other organizations in your community that are supportive of education and technology and ask them to sponsor you.

The entire team does not necessarily have to come to the finals, although we expect at least one member plus the supervising teacher/adult, or parent of a team member, to attend if a team is selected. All teams selected for the finals must make their own travel and lodging arrangements. The TARC staff has reserved blocks of motel rooms near the flyoff site at special rates for TARC teams. This information will be provided to teams accepted for the flyoffs.

### **Can teams sell decal spots on their rocket to raise money to participate in the contest?**

Yes! This is a great way to fund your team's participation in the Team America Rocketry Challenge. Also, your sponsors may get national coverage if you qualify for the finals and win the contest!

### **I have read all the frequently asked questions, the rules, and have scoured both this website and the NAR website. However, I still have questions or concerns about the contest. What should I do?**

Contact us at <mailto:rocketcontest@aia-aerospace.org>.